

# B Vitamins Might Help Prevent Worst COVID-19 Outcomes

Analysis by [Dr. Joseph Mercola](#) ✓ Fact Checked

## STORY AT-A-GLANCE

- › While no studies using B vitamins have been performed on COVID-19 patients, researchers stress that, based on B vitamins' effects on your immune system, immune-competence and red blood cells, supplementation may be a useful adjunct to other prevention and treatment strategies
- › One of the factors that make COVID-19 so dangerous to those with underlying conditions or old age is its ability to overactivate your immune system, triggering a cytokine storm
- › B vitamins — B1, B2, B3, B5, B6, B9 and B12 — play important roles in cell functioning, energy metabolism and proper immune function, and can play important roles in minimizing your risk of cytokine storm
- › B vitamins are involved in the activation of both the innate and adaptive immune responses. They help reduce proinflammatory cytokine levels, improve respiratory function, maintain endothelial integrity, prevent hypercoagulability and can reduce the length of hospital stays
- › Dietary source for B vitamins are listed, along with suggestions if you need supplementation

**This article was previously published October 2, 2020, and has been updated with new information.**

I've written many articles reviewing how nutrients such as vitamins C and D can help prevent and even play a role in the treatment of COVID-19. Now, researchers have

highlighted the value of yet another vitamin or, rather, complex of vitamins, namely B vitamins.

The paper,<sup>1,2</sup> "Be Well: A Potential Role for Vitamin D in COVID-19," was published online August 15, 2020, in the journal *Maturitas*. The paper is the result of a joint collaboration between researchers at the University of Oxford, United Arab Emirates University and the University of Melbourne, Australia.

While no studies using B vitamins have been performed on COVID-19 patients, the researchers stress that, based on B vitamins' effects on your immune system, immune-competence and red blood cells (which help fight infection), supplementation may be a useful adjunct to other prevention and treatment strategies. They are not suggesting B vitamins might prevent or treat COVID-19 by themselves.

## **Why Well-Regulated Immune Function Is Essential**

One of the factors that make COVID-19 so dangerous to those with underlying conditions or old age is its ability to overactivate your immune system, triggering cytokine and/or bradykinin storms.

**“ In a poorly regulated immune system, the body's cytokine storm induced by COVID cause lots of inflammation in the body, just as if little grenades were being tossed around. This is what causes the worst outcomes and death in COVID. ~ Dr. Uma Naidoo ”**

By strengthening and modulating immune function, in other words, making it function more appropriately and effectively, nutrients such as vitamins B, C and D can play important roles in minimizing your risk of this deadly development. As explained by Dr. Uma Naidoo, a nutrition expert at Harvard Medical School, who was not involved in the paper:<sup>3</sup>

*"You can think of the immune system as an army. Its job is to protect the body. But if the immune system army isn't well-regulated, it can overreact and actually cause more damage – this overreaction is what often happens in COVID-19 and is referred to as the cytokine storm.*

*Cytokines are inflammatory molecules released by immune cells. They are like the weapons of the immune system army. So, if immune cells are soldiers, cytokines are guns and grenades.*

*And in a poorly regulated immune system, the body's cytokine storm induced by COVID cause lots of inflammation in the body, just as if little grenades were being tossed around. This is what causes the worst outcomes and death in COVID.*

*It follows that anything that improves immune system function and decreases the chances that an infected person will have a catastrophic cytokine storm may improve the outcome of COVID-19 cases and decrease the overall death rate. Therefore, it's quite feasible that B-vitamin supplementation could contribute to preventing the worst COVID outcomes."*

## **B Vitamins for Healthy Immune Function**

As noted by the authors of "Be Well: A Potential Role for Vitamin D in COVID-19":<sup>4</sup>

*"There is a need to highlight the importance of vitamin B because it plays a pivotal role in cell functioning, energy metabolism, and proper immune function.*


*Vitamin B assists in proper activation of both the innate and adaptive immune responses, reduces pro-inflammatory cytokine levels, improves respiratory function, maintains endothelial integrity, prevents hypercoagulability and can reduce the length of stay in hospital.*

*Therefore, vitamin B status should be assessed in COVID-19 patients and vitamin B could be used as a non-pharmaceutical adjunct to current treatments*

...

*Vitamin B not only helps to build and maintain a healthy immune system, but it could potentially prevent or reduce COVID-19 symptoms or treat SARS-CoV-2 infection. Poor nutritional status predisposes people to infections more easily; therefore, a balanced diet is necessary for immuno-competence."*

The graphic below illustrates the roles various B vitamins play in the COVID-19 disease process. As you can see, B vitamins are involved in several disease aspects, including viral replication and invasion, cytokine storm induction, adaptive immunity and hypercoagulability.



## **B Vitamins Play Many Roles in Disease Process**

The paper goes on to detail how each B vitamin can be used to manage COVID-19 symptoms:

**Vitamin B1 (thiamine)** – Thiamine improves immune system function, protects cardiovascular health, inhibits inflammation and aids in healthy antibody responses. Vitamin B1 deficiency can result in an inadequate antibody response, thereby leading to more severe symptoms. There's also evidence suggesting B1 may limit hypoxia.

---

**Vitamin B2 (riboflavin)** – Riboflavin in combination with ultraviolet light has been shown to inhibit replication of the MERS-CoV virus, and the combination has also been shown to decrease the infectious titer of SARS-CoV-2 below the detectable limit in human blood, plasma and platelet products.

---

**Vitamin B3 (niacin/nicotinamide)** – Niacin is a building block of NAD and NADP, which are vital when combating inflammation. As explained in "Be Well: A Potential Role for Vitamin D in COVID-19":<sup>5</sup>

*"NAD+ is released during the early stages of inflammation and has immunomodulatory properties, known to decrease the pro-inflammatory cytokines, IL-1 $\beta$ , IL-6 and TNF- $\alpha$ .*

*Recent evidence indicates that targeting IL-6 could help control the inflammatory storm in patients with COVID-19. Moreover, niacin reduces neutrophil infiltration and exhibits an anti-inflammatory effect in patients with ventilator-induced lung injury ...*

*In addition, nicotinamide reduces viral replication (vaccinia virus, human immunodeficiency virus, enteroviruses, hepatitis B virus) and strengthens the body's defense mechanisms. Taking into account the lung protective and immune strengthening roles of niacin, it could be used as an adjunct treatment for COVID-19 patients."*

---

**Vitamin B5 (pantothenic acid)** – Vitamin B5 aids in wound healing and reduces inflammation.

---

**Vitamin B6 (pyridoxal 5'-phosphate/pyridoxine)** – Pyridoxal 5'-phosphate (PLP), the

active form of vitamin B6, is a cofactor in several inflammatory pathways. Vitamin B6 deficiency is associated with dysregulated immune function. Inflammation increases the need for PLP, which can result in depletion.

According to the authors, in COVID-19 patients with high levels of inflammation, B6 deficiency may be a contributing factor. What's more, B6 may also play an important role in preventing the hypercoagulation seen in some COVID-19 patients:<sup>6</sup>

*"In a recent preprint it is suggested that PLP supplementation mitigates COVID-19 symptoms by regulating immune responses, decreasing pro-inflammatory cytokines, maintaining endothelial integrity and preventing hypercoagulability. In fact, it was shown three decades ago that PLP levels reduce abnormalities in platelet aggregation and blood clot formation.*

*Recently researchers at Victoria University reported that vitamin B6 (as well as B2 and B9) upregulated IL-10, a powerful anti-inflammatory and immunosuppressive cytokine which can deactivate macrophages and monocytes and inhibit antigen-presenting cells and T cells.*

*COVID-19 patients often respond to the virus by mounting an excessive T cell response and secretion of pro-inflammatory cytokines. It may be that PLP is able to contribute to dampening the cytokine storm and inflammation suffered by some COVID-19 patients."*

---

**Vitamin B9 (folate/folic acid)** – Folate, the natural form of B9 found in food, is required for the synthesis of DNA and protein in your adaptive immune response.

Folic acid, the synthetic form typically found in supplements, was recently found<sup>7</sup> to inhibit furin, an enzyme associated with viral infections, thereby preventing the SARS-CoV-2 spike protein from binding to and gaining entry into your cells. The research<sup>8</sup> suggests folic acid may therefore be helpful during the early stages of COVID-19.

Another recent paper<sup>9</sup> found folic acid has a strong and stable binding affinity against SARS-CoV-2. This too suggests it may be a suitable therapeutic against COVID-19.

---

**Vitamin B12 (cobalamin)** – B12 is required for healthy synthesis of red blood cells and DNA. A deficiency in B12 increases inflammation and oxidative stress by raising homocysteine levels. Your body can eliminate homocysteine naturally, provided you're getting enough B9 (folate), B6 and B12.<sup>10</sup>

Hyperhomocysteinemia – a condition characterized by abnormally high levels of homocysteine – causes endothelial dysfunction, activates platelet and coagulation cascades and decreases immune responses.

B12 deficiency is also associated with certain respiratory disorders. Advancing age can diminish your body's ability to absorb B12 from food,<sup>11</sup> so the need for supplementation may increase as you get older. According to "Be Well: A Potential Role for Vitamin D in COVID-19":<sup>12</sup>

*"A recent study showed that methylcobalamin supplements have the potential to reduce COVID-19-related organ damage and symptoms. A clinical study conducted in Singapore showed that COVID-19 patients who were given vitamin B12 supplements (500 µg), vitamin D (1000 IU) and magnesium had reduced COVID-19 symptom severity and supplements significantly reduced the need for oxygen and intensive care support."*

---

## How to Improve Your Vitamin B Status

As a general rule, I recommend getting most if not all of your nutrition from real food, ideally organic to avoid toxic pesticides, and locally grown. Depending on your situation and condition, however, you may need one or more supplements.

To start, review the following listing of foods that contain the B vitamins discussed in this article. If you find that you rarely or never eat foods rich in one or more of these



nutrients, you may want to consider taking a high quality, ideally food-based supplement.

Also consider limiting sugar and eating fermented foods. The entire B group vitamin series is produced within your gut, assuming you have healthy gut flora. Eating real food, including plenty of leafy greens and fermented foods, will provide your microbiome with important fiber and beneficial bacteria to help optimize your internal vitamin B production.

Nutrient	Dietary Sources	Supplement Recommendations
<b>Vitamin B1</b>	Pork, fish, nuts and seeds, beans, green peas, brown rice, squash, asparagus and seafood. <sup>13</sup>	The recommended daily allowance for B1 is 1.2 mg/day for men and 1.1 mg/day for women. <sup>14</sup>
<b>Vitamin B2</b>	Eggs, organ meats, lean meats, green vegetables such as asparagus, broccoli and spinach. <sup>15</sup>	The RDA is 1.1 mg for adult women and 1.3 mg for men.  Your body cannot absorb more than about 27 mg at a time, and some multivitamins or B-complex supplements may contain unnecessarily high amounts. <sup>16</sup>



Nutrient	Dietary Sources	Supplement Recommendations
<b>Vitamin B3</b>	<p>Liver, chicken, veal, peanuts, chili powder, bacon and sun-dried tomatoes have some of the highest amounts of niacin per gram.<sup>17</sup></p> <p>Other niacin-rich foods include baker's yeast, paprika, espresso coffee, anchovies, spirulina, duck, shiitake mushrooms and soy sauce.<sup>18</sup></p>	<p>The dietary reference intake established by the Food and Nutrition Board ranges from 14 to 18 mg per day for adults.</p> <p>Higher amounts are recommended depending on your condition. For a list of recommended dosages, see the Mayo Clinic's website.<sup>19</sup></p>
<b>Vitamin B5</b>	<p>Beef, poultry, seafood, organ meats, eggs, milk, mushrooms, avocados, potatoes, broccoli, peanuts, sunflower seeds, chickpeas and brown rice.<sup>20</sup></p>	<p>The RDA is 5 mg for adults over the age of 19.</p> <p>Pantothenic acid in dietary supplements is often in the form of calcium pantothenate or pantethine.<sup>21</sup></p>

## Nutrient

## Dietary Sources

## Supplement Recommendations

### Vitamin B6

Turkey, beef, chicken, wild-caught salmon, sweet potatoes, potatoes, sunflower seeds, pistachios, avocado, spinach and banana.<sup>22</sup>

Nutritional yeast is an excellent source of B vitamins, especially B6.<sup>23</sup>

One serving (2 tablespoons) contains nearly 10 mg of vitamin B6.

Not to be confused with Brewer's yeast or other active yeasts, nutritional yeast is made from an organism grown on molasses, which is then harvested and dried to deactivate the yeast.

It has a pleasant cheesy flavor and can be added to a number of different dishes.

---

### Vitamin B9

Fresh, raw, organic leafy green vegetables, especially broccoli, asparagus, spinach and turnip greens, and a wide variety of beans,

Folic acid is a synthetic type of B vitamin used in supplements; folate is the natural form found in foods.

## Nutrient

especially lentils, but also  
**Dietary Sources**  
pinto beans, garbanzo  
beans, kidney beans, navy  
and black beans.<sup>24</sup>

## Supplement Recommendations

(Think: Folate comes from foliage, edible leafy plants.)

For folic acid to be of use, it must first be activated into its biologically active form (L-5-MTHF).

Nearly half the population has difficulty converting folic acid into the bioactive form due to a genetic reduction in enzyme activity.

For this reason, if you take a B-vitamin supplement, make sure it contains natural folate rather than synthetic folic acid.

Nutritional yeast is an excellent source.<sup>25</sup>

Research<sup>26</sup> also shows your dietary fiber intake has an impact on your folate status.

## Nutrient

## Dietary Sources

## Supplement Recommendations

For each gram of fiber consumed, folate levels increased by nearly 2%.

The researchers hypothesize that this boost in folate level is due to the fact that fiber nourishes bacteria that synthesize folate in your large intestine.

Nutrient	Dietary Sources	Supplement Recommendations
<b>Vitamin B12</b>	<p>Vitamin B12 is found almost exclusively in animal tissues, including foods like beef and beef liver, lamb, snapper, venison, salmon, shrimp, scallops, poultry, eggs and dairy products.</p> <p>The few plant foods that are sources of B12 are actually B12 analogs that block the uptake of true B12.</p>	<p>Nutritional yeast is high in B12, and is highly recommended for vegetarians and vegans.</p> <p>One serving (2 tablespoons) provides nearly 8 mcg of natural vitamin B12.<sup>27</sup></p> <p>Sublingual (under-the-tongue) fine mist spray or vitamin B12 injections are also effective, as they allow the large B12 molecule to be absorbed directly into your bloodstream.</p>

## Sources and References

- <sup>1, 4</sup> Maturitas August 15, 2020 DOI: [10.1016/j.maturitas.2020.08.007](https://doi.org/10.1016/j.maturitas.2020.08.007) [Epub ahead of print]
- <sup>2, 3</sup> Yahoo August 27, 2020
- <sup>5</sup> Maturitas August 15, 2020 DOI: [10.1016/j.maturitas.2020.08.007](https://doi.org/10.1016/j.maturitas.2020.08.007) [Epub ahead of print], 1.3. Vitamin B3
- <sup>6</sup> Maturitas August 15, 2020 DOI: [10.1016/j.maturitas.2020.08.007](https://doi.org/10.1016/j.maturitas.2020.08.007) [Epub ahead of print], 1.5. Vitamin B6
- <sup>7, 8</sup> ChemRxiv March 30, 2020 DOI: [10.26434/chemrxiv.12034980.v1](https://doi.org/10.26434/chemrxiv.12034980.v1) (PDF)
- <sup>9</sup> Research Square May 26, 2020 DOI: [10.21203/rs.3.rs-31775/v1](https://doi.org/10.21203/rs.3.rs-31775/v1)
- <sup>10</sup> PLoS ONE 5(9): e12244
- <sup>11</sup> New York Times September 6, 2016
- <sup>12</sup> Maturitas August 15, 2020 DOI: [10.1016/j.maturitas.2020.08.007](https://doi.org/10.1016/j.maturitas.2020.08.007) [Epub ahead of print], 1.7. Vitamin B12
- <sup>13</sup> My Food Data, Thiamine
- <sup>14</sup> Dietary Reference Intakes for B Vitamins

- <sup>15, 16</sup> [NIH.gov Riboflavin](#)
- <sup>17</sup> [Healthaliciousness.com, Top 10 High Niacin Foods](#)
- <sup>18</sup> [Healthaliciousness.com, Niacin-Rich Foods](#)
- <sup>19</sup> [Mayo Clinic Niacin Dosing](#)
- <sup>20, 21</sup> [NIH.gov Pantothenic Acid](#)
- <sup>22</sup> [Healthaliciousness.com, Top 10 Foods High in Vitamin B6](#)
- <sup>23, 27</sup> [Self Nutrition Data, Nutritional Yeast](#)
- <sup>24</sup> [Harvard T.H. Chan School of Public Health](#)
- <sup>25</sup> [Chalkboard, Nutritional Yeast](#)
- <sup>26</sup> [American Journal of Clinical Nutrition 1997 Dec;66\(6\):1414-21](#)