MERCOLA
Take Control of Your Health

Could Sitting Be Slowing Your Body's Cleanup System?

Analysis by Dr. Joseph Mercola | November 29, 2026

STORY AT-A-GLANCE

- Your lymphatic system has no central pump, so regular muscle contractions from physical activity help keep lymph fluid moving through your body
- Specialized "lymphatic workouts" have no proven advantage over ordinary exercise in people with healthy lymphatic systems, making consistent everyday movement the foundation for supporting lymph flow
- Walking, cycling, and other aerobic activities repeatedly contract your muscles, while strength training builds stronger muscles that provide more pumping action
- Breaking up long periods of sitting gives your body more opportunities to move, and deep diaphragmatic breathing provides another simple way to support lymph circulation
- The Big Six combines rubbing, tapping, and circular motions at six areas from your collarbones to your knees, followed by gentle bouncing, but it remains an optional practice rather than a clinically proven replacement for regular movement

Your lymphatic system has no central pump. Unlike your cardiovascular system, which relies on your heart to keep blood circulating, this bodywide network depends partly on muscle contractions to propel lymph fluid through its vessels. That makes physical movement especially important when much of your day is spent sitting.

Every time your muscles contract, they provide some of the mechanical force that moves lymph. Breathing and digestion contribute as well. This matters because lymph carries excess fluid, cellular waste, and immune cells away from your tissues and routes

them through lymph nodes, where pathogens and damaged cells are filtered out. Your daily activity, then, does more than burn calories or strengthen your heart — it also helps power your body's fluid-transport system.

Modern routines make it easy to spend hours with very little muscular activity. A workout later in the day adds valuable movement, but experts also emphasize consistency throughout the day. That shifts attention away from finding one perfect exercise and toward something much more practical: giving your body regular opportunities to move.

So, do specialized "lymphatic workouts" offer something ordinary exercise doesn't? The answer starts with understanding which types of movement support lymph circulation and whether the routines filling social media feeds provide any unique advantage.

Walking, Strength Training, and Deep Breathing Support Lymph Flow

Exercises marketed specifically for lymphatic drainage — "lymphatic walking," rebounding on a trampoline, dynamic stretching — have been filling social media feeds. A recent New York Times article looked at whether these routines offer anything ordinary movement doesn't.[1] Marc Miller, a physical therapist specializing in lymphatic health at MD Anderson Cancer Center, explained that interest in the lymphatic system has grown alongside advances in mapping it, but much of the nuance gets lost on social media.

For someone with a healthy lymphatic system, there's no evidence that a particular workout is better or worse than another for maintaining lymphatic function. That removes the pressure to find a special routine; a trendy name doesn't make an exercise more effective at moving lymph.

- **Walking, jogging, and cycling repeatedly activate the muscle pump —** The New York Times experts emphasized that movement itself is what matters. Aerobic activities such as walking and cycling keep muscles contracting rhythmically, giving

your lymph vessels the steady mechanical push they need.

This gives you plenty of choices. As Dr. Tiana Woolridge, a sports medicine physician at the Hospital for Special Surgery, put it, "Movement is medicine."[2] Choosing an activity you'll repeat consistently matters more than attaching a lymphatic label to it.

- **Stronger muscles provide more pumping action —** Dr. Jason Wheeler, a vascular medicine specialist at the Cleveland Clinic, explained that stronger muscles are better able to pump lymph fluid. Strength training therefore complements aerobic exercise rather than leaving all the work to walking or other repetitive activities.

  The experts cited in the article point to a practical weekly target: at least 150 minutes of moderate aerobic activity plus two strength-training sessions. You don't have to tackle those 150 minutes at once. Breaking activity into manageable sessions makes the goal easier to reach and gives your muscles repeated opportunities to work.

- **Consistent movement throughout your day matters —** Kelly Sturm, a Minneapolis physical therapist who focuses on lymphatic health, emphasized that "it's really about just being consistent with movement throughout your day." That's especially relevant if your routine keeps you seated for long stretches.

  Exercise doesn't have to happen only during a designated workout. Ordinary opportunities to move — a walk to refill water, standing during a phone call — count, too. Stand, walk around, or take a brief activity break between sedentary periods. There's no need to obsess over a timer. The broader goal is simply to make movement a recurring part of your day.

- **Deep diaphragmatic breathing adds another form of mechanical movement —** Some lymphatic routines incorporate deep breathing, and there's a physiological reason for it. Deep diaphragmatic breathing may help support lymphatic circulation. Your diaphragm is the large muscle beneath your lungs that moves downward as you inhale and upward as you exhale.

You don't need to separate breathing from physical activity. Pair relaxed, deep abdominal breaths with a walk or another comfortable form of movement. This gives you another simple way to support the physical processes involved in lymph circulation without turning it into a complicated protocol.

- **Ordinary puffiness doesn't mean your lymphatic system has failed —** Social media claims about "draining" lymph often focus on puffiness, swelling, and bloating, but Wheeler cautioned against interpreting those symptoms as proof of lymphedema. Diet, poor sleep, weather, and environmental factors also affect how puffy or bloated you feel.

  Lymphedema is a specific condition in which lymph fluid pools in an area of the body, often after lymphatic damage from injury, surgery, or cancer treatment. That distinction helps you keep lymphatic workouts in perspective. Feeling temporarily puffy isn't evidence that your body requires a special drainage routine.

The Big Six Uses Targeted Touch and Bouncing to Support Lymph Flow

While ordinary movement gives your muscles the contractions needed to support lymph flow, some routines take a more targeted approach. The Big Six combines hands-on stimulation with movement, giving you a structured practice to add to your regular activity.

In the Think Flow Grow video at the top of this page, Tim Boettner demonstrates chiropractor Perry Nickelston's Big Six lymph routine as a hands-on practice you can follow at home.[3] Rather than treating the entire body at once, the routine divides the process into six areas on both sides of your body: above the collarbones, below the chin, the chest, belly, hips, and behind the knees. Boettner starts at the top and works downward, giving you a simple sequence to remember.

- **Each area gets the same three-part touch sequence —** At each location, apply roughly 20 rubbing strokes, 20 light taps, and 20 circular motions — adjusting the count to what feels right for you. Those numbers aren't rigid requirements.

  "You can do it 30 times, 10 times, whatever feels right for you," he explains, recommending that you learn the systematic routine first and become more intuitive with practice. That flexibility makes the method easy to personalize. Start gently, pay attention to how each area feels, and adjust the pressure and repetitions accordingly.

- **The routine begins gently around the collarbones and chin —** At the first location, Boettner directs you toward the soft tissue near the collarbone rather than pressing directly onto the bone. He starts with low pressure and gradually explores firmer pressure before moving through the tapping and circular motions.

  The second location is the soft area beneath the chin, where the same general pattern is repeated. Comfort provides an important guide throughout the demonstration. Boettner repeatedly asks you to notice tenderness and other sensations rather than forcing pressure into an uncomfortable area.

- **The chest, belly, and hips continue the hands-on sequence —** Next, Boettner moves to the soft area between the chest and shoulder, then the abdomen, and finally the crease where the belly meets the upper thighs. At the abdomen, he demonstrates rubbing in several directions, tapping across the area, and finishing with circles.

  Around the hips, he again uses rubbing, tapping, and circles before moving farther down the body. Deep breathing and relaxation accompany these movements throughout the demonstration, with Boettner repeatedly reminding viewers to release unnecessary tension as they work through each area.

- **The final targeted area sits behind the knees —** After working from the upper body downward, Boettner finishes the six locations in the soft areas behind the knees. He demonstrates rubbing up and down behind each knee, followed by tapping above

and below the area and then circular motions. This gives the routine a clear endpoint and makes the six locations easier to learn as a top-to-bottom progression: collarbones, chin, chest, belly, hips, and knees.

- **Whole-body bouncing finishes the routine —** After completing all six locations, Boettner transitions to gentle bouncing and shaking while keeping the body as relaxed as possible. He suggests lifting your heels and increasing the bounce if that feels comfortable, with small jumps as another option. "Decrease the intensity of the bouncing if you tense up too much," he advises.

  He also incorporates rotation and then returns to stillness, encouraging you to notice how your body feels afterward. The video is a demonstration rather than a clinical trial, so it doesn't provide measured evidence that the Big Six improves lymphatic function or outperforms ordinary movement. It shows you how the routine is performed and gives you a structured way to experiment with targeted touch and gentle whole-body motion.

Keep Your Lymph Moving Throughout the Day

Your lymphatic system relies on movement, so the first place to focus is the most basic one: how much you move throughout your day. You don't need an elaborate routine or a workout marketed as a "detox." Build regular muscle contractions into your day, strengthen the muscles that help propel lymph, use your breathing to support fluid movement and, if you enjoy it, add the Big Six routine as a simple hands-on practice.

1. **Break up long periods of sitting —** If you work at a desk or spend hours seated, make frequent movement your first priority. Stand up and move for a minute or two roughly every 30 to 60 minutes rather than saving all your activity for one workout. Your muscles help propel lymph, so repeated movement throughout the day gives your body the mechanical action it needs to keep fluid circulating.

I recommend making this automatic. Attach a short movement break to something you already do, such as finishing a task, taking a phone call, or refilling your water. The easier the habit is to repeat, the more consistently you'll do it.

2. **Walk every day and let your whole body move —** Walking gives you repeated muscle contractions without requiring special equipment. If you're comfortable walking, work toward as much as 60 minutes a day, based on your fitness level and schedule. Let your arms swing naturally instead of holding them rigidly at your sides. You don't need to call this "lymphatic walking" to benefit from it.

3. **Build stronger muscles twice a week —** Stronger muscles are better equipped to help pump lymph fluid, which suggests strength training may play a supporting role in this system. I recommend strength training about twice each week, in addition to your daily movement. If you're starting from a low fitness level, begin with manageable resistance and build from there. Your goal is stronger, regularly contracting muscles that support both lymph flow and your overall health.

4. **Pair movement with deep diaphragmatic breathing —** Instead of taking shallow breaths into your upper chest, breathe deeply enough that your abdomen expands as you inhale and relaxes as you exhale. Deep diaphragmatic breathing may support lymph circulation, so combine it with walking or another comfortable form of movement. Relax your shoulders and jaw, take smooth deep breaths, and give your diaphragm room to move.

5. **Try the Big Six as an optional add-on —** If you want a more structured lymph-focused practice, the Big Six gives you an easy sequence to follow. Work from the soft areas near your collarbones to below your chin, chest, belly, hip creases, and behind your knees. The demonstrated routine uses rubbing, light tapping, and circular motions at each location.

   Finish with relaxed bouncing or gentle shaking, adding small jumps if they feel comfortable. Treat this as an optional addition to the foundation that matters most — moving your body consistently throughout the day.

FAQs About Movement for Lymphatic Function

Q: Why does movement matter for your lymphatic system?

A: Your lymphatic system doesn't have a central pump like your heart. Instead, muscle contractions, breathing, and other body movements help propel lymph fluid through its vessels, making regular physical activity an important part of healthy lymph circulation.

Q: Do I need a special lymphatic workout to improve lymph flow?

A: No evidence shows that a specialized lymphatic workout works better than ordinary exercise for someone with a healthy lymphatic system. Walking, cycling, and other activities repeatedly contract your muscles and provide the physical action that supports lymph movement.

Q: How much exercise supports healthy lymph circulation?

A: Aim for at least 150 minutes of moderate aerobic activity each week along with about two strength-training sessions. Stronger muscles provide more pumping action, while regular movement throughout the day gives your muscles repeated opportunities to help move lymph.

Q: What is the Big Six lymph routine?

A: The Big Six is a hands-on routine that works through six areas from your collarbones down to behind your knees. It uses rubbing, tapping, and circular motions, followed by gentle bouncing or shaking. It's an optional practice rather than a clinically proven replacement for ordinary movement.

Q: What are simple ways to support lymph flow if I sit most of the day?

A: Break up long periods of sitting with frequent movement, walk regularly, strength train about twice a week, and pair activity with deep diaphragmatic breathing. If you enjoy a more structured approach, add the Big Six while keeping consistent everyday movement as your foundation.

This article is for informational purposes only and does not constitute medical advice. Consult a qualified healthcare provider before making changes to your health regimen.

Sources and References

- [1, 2] The New York Times August 24, 2026
- [3] YouTube, Think Flow Grow, Big Six Lymphroutine April 20, 2024