

Chronic Stress Is Strongly Linked to Depression - and Research Suggests Progesterone May Help

Analysis by [Dr. Joseph Mercola](#)

October 02, 2026

STORY AT-A-GLANCE

- › Chronic stress is associated with measurable brain inflammation that may disrupt mood, motivation, and cognitive clarity, creating a biological state that researchers describe as resembling clinical depression
- › Progesterone appears to interact with this stress chemistry. Research indicates it may lower cortisol activity, support calming GABA pathways and help maintain healthy metabolic function
- › In a six-week rat study, progesterone reduced stress-induced depression-like behaviors, improving motivation and activity levels, and lowering inflammatory signaling in the brain
- › Progesterone's proposed mood-related actions extend beyond inflammation reduction, with commentary on the research pointing to effects on cortisol metabolism, thyroid activity, and the systems involved in emotional resilience
- › Daily habits such as eating enough healthy carbohydrates and engaging in regular movement may help lower cortisol, supporting the same stress pathways natural progesterone acts on

Editor's Note: This article is a reprint. It was originally published January 3, 2026.

Chronic stress leaves a clear imprint on your brain, and the effects reach far deeper than feeling overwhelmed or emotionally drained. It disrupts the very systems responsible for mood, motivation, and mental clarity, pushing your brain into a state where resilience

becomes harder to access. When this pressure builds day after day, the result is a predictable shift toward low mood, irritability, loss of interest, and a growing sense that you're running on fumes.

These changes aren't signs of weakness — they're biological signals that your stress circuitry is overheating. What often goes unnoticed is how this process reshapes your brain at a chemical level. Stress doesn't stay confined to thoughts or emotions; it alters the pathways that govern inflammation, energy production, and emotional regulation.

As this internal pressure rises, it disrupts sleep, strains memory, and blunts your ability to rebound from everyday challenges. Left unaddressed, chronic stress gradually pulls you into patterns that resemble clinical depression, complete with exhaustion, cognitive slowdown, and emotional withdrawal. That said, progesterone appears to interact with this overloaded system.

Going deeper into this premise, progesterone may temper cortisol-driven stress chemistry, support your brain's natural calming pathways, and help maintain metabolic stability. This points to an important idea: The biology underlying depression-like states may not be fixed — it appears to respond to specific signals, and progesterone is one researchers are actively studying. Research also reveals how stress alters your brain — and how progesterone helps restore balance.

Progesterone Reduced Stress-Triggered Brain Inflammation in Rats

A study published in *Behavioural Brain Research* investigated how chronic unpredictable mild stress affects brain function and mood.¹ Researchers exposed male Sprague-Dawley rats (six per group) to six weeks of shifting stressors followed by two weeks of progesterone treatment, to determine how stress alters inflammation, behavior, and specific biochemical pathways tied to [depression](#). This model is widely used because it reliably produces the same emotional and behavioral changes seen in human depression, including loss of interest, reduced movement, and withdrawal.

- **Stress-exposed animals developed clear depression-like symptoms** — The study population consisted of healthy rats that were gradually pushed into a depressed state by repeated stress exposure, creating a controlled way to observe the biological fallout of chronic stress.

The rats showed reduced motivation, impaired pleasure response, and dramatic drops in physical activity — clear indicators of a stress-induced mood disruption. These changes suggest that stress-related mood disruption has a measurable biological component — in this model, one closely tied to inflammation in the brain.*

- **Progesterone improved behavior and restored motivation** — Progesterone restored normal behavior after stress exposure, with the rats showing renewed interest in rewarding activities and healthier movement patterns.² This improvement suggests that, in this model, progesterone acted on the inflammatory signaling associated with the behavioral changes rather than on behavior alone.
- **Inflammation markers dropped sharply with progesterone treatment** — The progesterone-treated group experienced major reductions in inflammatory cytokines — specifically, two molecules measured in blood serum, interleukin-1 beta, and tumor necrosis factor alpha, which rise during chronic stress and have been linked in other research to mood, memory, and sleep. Note that these were serum measurements rather than direct measures of brain inflammation, and whether comparable reductions produce clearer thinking or steadier emotions in people was not tested here.
- **The study measured fast, measurable biological changes** — Within the study window, progesterone reduced inflammatory markers and depression-like behavior over a two-week treatment period. How quickly a comparable response might occur in humans has not been established.

The researchers showed that progesterone suppressed the NLRP3 inflammasome, a molecular alarm system that senses danger signals and triggers inflammatory cascades in the brain. The researchers propose that limiting this pathway may be

part of how progesterone influenced the animals' behavior.

- **Progesterone turns down the "ignition switch" for inflammation** — The study found that progesterone lowered caspase-1, an enzyme that converts inactive cytokines into active, inflammation-producing compounds. In simple terms, progesterone dampened a biochemical switch involved in turning on inflammation.

According to the findings, progesterone reversed inflammatory changes in the hippocampus and prefrontal cortex — areas tied to memory, emotional balance, and decision-making. Whether easing inflammation in these regions produces those changes in humans was not tested in this study.

**These findings are from laboratory or animal research and may not directly apply to human health.*

Multiple Proposed Pathways for Progesterone's Effects on Stress-Driven Depression — A Commentary

In a commentary on the Behavioural Brain Research study, bioenergetic researcher Georgi Dinkov argues that chronic stress — not "depression genes" — is a primary driver of the development of depressive symptoms.³ He presents natural bioidentical progesterone as a candidate warranting further study in stress-induced depression. Keep in mind that his observations are an independent analysis published on the author's personal blog, not peer-reviewed research.

In the study, progesterone improved the rats' depression-like behaviors, including the reduced sucrose preference researchers use as a measure of anhedonia — the inability to feel pleasure — which is among the hardest symptoms to address in people.

Many people are told progesterone worsens mood, especially postpartum, even though progesterone levels drop sharply after pregnancy. These findings offer a counterpoint to that view, though the featured research I will review later also describes conditions under which progesterone metabolites may increase rather than reduce anxiety.

- **Effective dosing matters for restoring normal mood and behavior** — Dinkov highlights that the human-equivalent dose in the study was about 1 milligram (mg) per kilogram (kg) daily for two weeks, used after the rats already displayed depression-like behavior.

Higher doses offered no added benefit, while lower doses were less effective. This pattern suggests the effects observed followed a partially dose-dependent curve. This figure is a calculated animal-to-human equivalence from a rodent study, not a clinical dosing recommendation, and it differs from the transmucosal dosing described later.

- **Progesterone may act on the inflammation that chronic stress creates in the nervous system** — The commentary explains that chronic stress drives **inflammation** in your brain and proposes that this inflammation — rather than **serotonin imbalance** — is a major contributor to depression.

Progesterone lowered key inflammatory signals both in the nervous system and throughout the body. This reduction is of particular interest where stress symptoms include brain fog, emotional heaviness, or a "shut-down" feeling that matches stress-related inflammation.

- **Progesterone may blunt cortisol signaling (a proposed contributor to depression) and influence cortisol metabolism** — Dinkov emphasizes that progesterone acts as a glucocorticoid receptor antagonist, which means it directly **blocks excess cortisol** from exerting its harmful effects. It also inhibits an enzyme that increases cortisol and activates another enzyme that breaks cortisol down. These combined actions are proposed to lower cortisol production and increase cortisol deactivation.
- **Progesterone activates calming GABA pathways that may help steady mood and quiet internal tension** — The commentary highlights that progesterone is a strong **GABA** agonist, strengthening your brain's main calming system. GABA-supporting

compounds have been studied in depression, and progesterone's activity on this pathway is one proposed explanation for its reported effects on anxious thinking, emotional reactivity, and stress-driven irritability.

Dinkov notes that progesterone also promotes [thyroid activity](#), especially T3-related metabolic pathways. Pro-thyroid signals have been studied in depression, which in his view, would mean progesterone acts not only through cortisol and inflammation but also by influencing whole-body energy production.

- **How progesterone's proposed mechanisms compare with selective serotonin reuptake inhibitor (SSRIs)** — The commentary explains that [antidepressant SSRIs](#) appear to work — when they work at all — because they lower inflammatory biomarkers, not because they increase serotonin.

Dinkov argues progesterone may act on inflammation while also influencing cortisol, GABA, and thyroid pathways. However, no head-to-head trials have compared progesterone with SSRIs for depression, so this is mechanistic reasoning rather than clinical evidence. That said, if you're currently taking an antidepressant, do not stop or change the dosing schedule without guidance from the clinician who prescribed it.

Progesterone Shapes How Your Brain Processes Emotion Across Your Lifetime

A related review published in *Frontiers in Neuroendocrinology* examined how progesterone receptors throughout your brain influence emotional processing, stress response, and cognitive function across puberty, the menstrual cycle, pregnancy, postpartum, and menopause.⁴

The review sought to map out when and where progesterone affects the female brain, and how those shifting effects explain changes in mood, emotional sensitivity, and resilience throughout life. By understanding these patterns, you gain a clearer picture of

why your emotional experience changes across hormonal transitions — and how to work with your biology instead of feeling blindsided by it.

- **There are distinct patterns of progesterone effects in healthy females of different ages** — The authors focused on healthy women experiencing normal hormonal transitions and documented how emotional reactivity, memory performance, and stress sensitivity shift as progesterone levels rise or fall. This shows that mood changes are not character flaws — they're biological signals tied to hormone receptor activity in brain regions that regulate emotion, fear, reward, and social processing.
- **Moderate progesterone enhances emotional sensitivity, while higher levels shift your brain toward a calmer, more inhibited state** — Amygdala activity — a brain region involved in processing emotion and threat — is influenced in a dose-dependent pattern.

At moderate levels, progesterone increases amygdala reactivity, heightening emotional awareness and sensitivity to social cues. At higher levels, it inhibits amygdala activity, creating a more muted, stabilizing emotional tone. This gives you an explanation for why certain phases of the menstrual cycle feel emotionally "louder," while others feel more inward or subdued.

- **Changes in progesterone shape memory and how you interpret emotional events** — Progesterone affects hippocampal pathways tied to memory formation and the emotional coloring of memories. This means progesterone influences how you store and recall emotionally charged experiences. The review reports reduced amygdala activity during memory tasks alongside lower recognition accuracy after progesterone administration, which the authors suggest may relate to the cognitive complaints some women report during pregnancy.
- **Healthy emotional regulation depends on how well progesterone receptors communicate with stress circuits** — The researchers describe how progesterone receptor activation interacts with the hypothalamic-pituitary-adrenal (HPA) axis —

your brain's stress-control system — to influence your threshold for overwhelm, irritability, and emotional exhaustion.

When receptor activity is efficient, your brain handles stress with more flexibility and quicker recovery. When the signaling is disrupted, stress feels heavier and harder to shake.

- **Progesterone metabolites create rapid calming effects through GABA receptors —**
The review explains that progesterone's metabolites directly modulate GABA receptors, producing fast-acting effects on emotional stability, anxiety levels, and sleep quality. The relationship is not linear — the authors describe an inverted U-shaped pattern in which allopregnanolone appears calming at both low and high levels but may increase anxiety at intermediate levels.

This is different from the longer-term metabolic effects discussed in earlier sections — here, the focus is on moment-to-moment emotional regulation. This means your internal sense of calm may depend in part on how efficiently progesterone metabolites activate these receptors.

Strengthening Your Brain's Stress Resilience

Your next step is putting this information into action in a way that restores balance to your brain, lowers the stress load that triggered the problem in the first place, and supports the hormonal and metabolic pathways that keep your mood steady.

You've already seen how stress appears to flip specific inflammatory switches and how progesterone may support healthier signaling. Now, it's about giving your brain the environment it needs to shift out of survival mode and into repair mode. Think of this as your personal blueprint for rebuilding emotional strength from the inside out.

1. **Lower your daily stress load so your brain stops triggering inflammatory pathways**
— If you push through the day without breaks, your brain stays locked in a stress response that disrupts mood circuits. Instead, create small recovery points

throughout your day — 60 seconds of [slow breathing](#), stepping outside for fresh air, or pausing screens for a moment.

These short resets may help ease your nervous system out of "alarm mode," which research suggests may lower the inflammatory pressure associated with low mood, irritability, and emotional overwhelm.

- 2. Add healthy carbs and regular exercise to support your body's natural antidepressant systems** — If you're eating [too few carbohydrates](#), your body raises cortisol just to produce enough glucose to keep you functioning. Over time, this drives tension, low mood, and accelerated aging. Including healthy carbs — about 250 grams daily — helps lower cortisol naturally.

Focus on fruits and white rice first if your gut is unhealthy, then gradually add root vegetables, non-starchy vegetables, starchy vegetables like sweet potatoes, and finally minimally processed whole grains.

Movement is just as important. [Exercise](#) releases endorphins, improves emotional resilience, lowers cortisol, and strengthens your sleep quality. If you haven't been active, start now — even light or moderate movement like walking shifts your brain into a healthier, more adaptive stress rhythm. For guidance on structuring your training, "[Nailing the Sweet Spots for Exercise Volume](#)" is a great resource to help you build a sustainable regimen.

- 3. Create hormonal stability by removing stressors** — If you feel emotionally volatile during hormonal shifts, reducing things that burden your hormonal system — like chronic sleep loss, extreme dieting, [endocrine-disrupting chemicals](#), or excessive endurance exercise — helps your brain respond more evenly. Your hormonal system is sensitive to lifestyle strain. By lightening that load, you support your natural progesterone rhythm and give your nervous system a smoother emotional baseline.
- 4. Build emotional buffering into your daily routine** — If you feel like small things set you off, your brain's calming circuits are overloaded. You can strengthen them with [relaxing activities](#) that naturally engage GABA pathways — slow rhythmic

movement, warm baths, soothing music, or journaling before bed. These habits teach your brain to shift into the same calm, steady state described in the research. You're training your nervous system the way you would train a muscle.

- 5. Discuss progesterone with your clinician if cortisol appears to be part of your picture** — The featured research and Dinkov's commentary above describe progesterone as a glucocorticoid receptor antagonist, which is why it is being studied in relation to excess cortisol and the adrenaline-driven "on edge" feeling that wears people down.

Reported effects include steadier mood, deeper sleep, and easier physical relaxation, though individual responses vary and these outcomes are not guaranteed. As noted below, transmucosal progesterone therapy requires a prescription, so this is a conversation to have with a qualified health care provider rather than a regimen to begin on your own.

FAQs About Chronic Stress, Depression, and Progesterone

Q: Why does chronic stress lead to depression?

A: Chronic stress disrupts the systems that control your mood, motivation, and cognitive sharpness. It is associated with inflammation inside your brain, interferes with healthy energy production and keeps your stress circuits stuck in "on" mode. Over time, this is linked with low mood, irritability, emotional withdrawal, and exhaustion — not because something is "wrong with you," but because your biology may be locked into a stress-driven inflammatory state.

Q: How does progesterone appear to affect stress-induced depression?

A: Progesterone appears to act on the chemical cascade that stress creates. Research and additional commentary by bioenergetic researcher Georgi Dinkov describe its lowering cortisol activity, acting at calming GABA pathways, reducing inflammatory signaling, and supporting metabolic stability. In addition, it's proposed that these combined effects may help restore emotional balance, mood, sleep, and clear thinking, though the strongest evidence here comes from animal research.

Q: What did the Behavioral Brain Research study reveal about progesterone?

A: The study showed that male rats exposed to chronic stress developed strong depression-like symptoms — and progesterone significantly reduced them.⁵ It improved behavior and motivation, lowered inflammatory markers, and dampened the NLRP3 alarm pathway the researchers link to depression-like states. The improvements occurred over a two-week treatment window in animals; comparable human results have not been established.

Q: What did Georgi Dinkov add to our understanding of progesterone and stress?

A: Dinkov emphasized that stress — not genetics — is a primary driver of depression and that progesterone directly counteracts the physiological changes behind it. He highlighted how progesterone blocks cortisol at its receptors, improves cortisol metabolism, supports thyroid function, and amplifies your brain's calming chemistry. These proposed actions are why he considers natural progesterone worth further study as a multi-pathway approach. Note that his commentary is an independent analysis rather than peer-reviewed research.

Q: Besides progesterone, what else helps stabilize mood and reduce stress-related depression?

A: Healthy carbohydrates and regular movement work together to help lower cortisol and support a more resilient stress response. Eating enough natural carbs prevents cortisol from rising just to produce glucose, while exercise boosts endorphins, improves sleep, and strengthens emotional resilience. These habits give your brain the metabolic support it needs to stay balanced, especially when paired with progesterone.

This article is for informational purposes only and does not constitute medical advice. Consult a qualified health care provider before making changes to your health regimen.

How to Use Progesterone

Before you consider using progesterone, it is important to understand that it is not a magic bullet, and that you get the most benefit by implementing a Bioenergetic diet approach that allows you to effectively burn glucose as your primary fuel without backing up electrons in your mitochondria that reduces your energy production. My new book, “Your Guide to Cellular Health: Unlocking the Science of Longevity and Joy,” covers this process in great detail.

Once you have dialed in your diet, an effective strategy that can help counteract estrogen excess is to take transmucosal progesterone (i.e., applied to your gums, not oral or transdermal), which is a natural estrogen antagonist. Progesterone is one of only three hormones I believe many adults can benefit from. (The other two are DHEA and pregnenolone.)

I do not recommend transdermal progesterone, as your skin expresses high levels of 5-alpha reductase enzyme, which causes a significant portion of the progesterone you're taking to be irreversibly converted primarily into allopregnanolone and cannot be converted back into progesterone.

Ideal Way to Administer Progesterone

Please note that when progesterone is used transmucosally on your gums as I advise, the FDA believes that somehow converts it into a drug and prohibits any company from advising that on its label. This is why companies promote their progesterone products as "topical."

However, please understand that it is perfectly legal for any physician to recommend an off-label indication for a drug to their patient. In this case, progesterone is a natural hormone and not a drug and is very safe even in high doses. This is unlike synthetic progesterone called progestins that are used by drug companies, but frequently, and incorrectly, referred.

Dr. Ray Peat has done the seminal work in progesterone and probably was the world's greatest expert on progesterone. He wrote his Ph.D. on estrogen in 1982 and spent most of his professional career documenting the need to counteract the dangers of excess estrogen with low LA diets and transmucosal progesterone supplementation.

He determined that most solvents do not dissolve progesterone well and discovered that vitamin E is the best solvent to optimally provide progesterone in your tissue. Vitamin E also protects you against damage from LA. You just need to be very careful about which vitamin E you use as most supplemental vitamin E on the market is worse than worthless and will cause you harm not benefit.

It is imperative to avoid using any synthetic vitamin E (alpha tocopherol acetate — the acetate indicates that it's synthetic). Natural vitamin E will be labeled "d alpha tocopherol." This is the pure D isomer, which is what your body can use.

There are also other vitamin E isomers, and you want the complete spectrum of tocopherols and tocotrienols, specifically the beta, gamma, and delta types, in the effective D isomer. As an example of an ideal vitamin E, you can look at the label on our vitamin E in our store. You can use any brand that has a similar label.

You can purchase pharmaceutical grade bioidentical progesterone as Progesterone Powder, Bioidentical Micronized Powder, 10 grams for about \$40 on many online stores like Amazon. That is nearly a year's supply, depending on the dose you choose.

However, you will need to purchase some small stainless steel measuring spoons as you will need a 1/64 tsp, which is 25 mg and a 1/32 tsp, which is 50 mg. A normal dose is typically 25 to 50 mg and is taken 30 to 60 minutes before bed, as it has an anti-cortisol function and will increase GABA levels for a good night's sleep.

If you are a menstruating woman, you should take the progesterone during the luteal phase or the last half of your cycle, which can be determined by starting 10 days after the first day of your period and stopping the progesterone when your period starts.

If you are a male or non-menstruating woman, you can take the progesterone every day for four to six months and then cycle off for one week. The best time of day to take progesterone is 30 to 60 minutes before bed as it has an anti-cortisol function and will increase GABA levels for a good night's sleep.

This is what I have been personally doing for over a year with very good results. I am a physician so do not have any problems doing this. If you aren't a physician, you should consult one before using this therapy, as transmucosal progesterone therapy requires a doctor's prescription.

Sources and References

- [1, 2, 5 Behavioural Brain Research February 4, 2026, Volume 497, 115879](#)
- [3 To Extract Knowledge from Matter October 28, 2025](#)
- [4 Frontiers in Neuroendocrinology January 2025, Volume 76, 101160](#)